Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	((base plate support substrate) near3 insulat$4 near4 (part specimen sample piece member element) near4 (coat$4 cover$4 top surround$4 bottom)) and (fatigue near3 (test$4 monitor$4 observ$5 meter asses$4 measur$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 16:08
L2	82	((base plate support substrate) near3 insulat$4 near4 (part specimen sample piece member element) near4 (coat$4 cover$4 top surround$4 bottom)) and "73"/$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 16:04
L3	89	((base plate support substrate) near3 insulat$4 near4 (part specimen sample piece member element) near4 (coat$4 cover$4 top surround$4 bottom bond$4)) and "73"/$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 16:07
L4	60	((base support substrate) near3 insulat$4 near4 (specimen sample piece member element) near4 (coat$4 cover$4 top surround$4 bottom bond$4)) and "73"/$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 16:14
L5	9	4 and ((load$4 forc$4 fatigue) near3 (test$4 monitor$4 observ$5 meter asses$4 measur$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 16:16
L6	32	((base support substrate) near3 insulat$4 near4 (specimen sample piece member element) near4 (coat$4 top surround$4 bottom bond$4)) and "73"/$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 16:14
L7	26	4 and therm$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 16:17
L8	10	4 and (therm$6 near4 insulat$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 16:17
S1	100	73/811.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:47
S2	82	73/787.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:18
S3	32223	((heat$4 cool$4 thermal$4 ((increas$$ lower$4 high$4 decreas$4 large elevate) near2 temperature)) near8 ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen sample piece member)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 17:06
S4	405	((heat$4 cool$4 thermal$4 ((increas$$ lower$4 high$4 decreas$4 large elevate) near2 temperature)) near8 ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen sample piece member) near4 (fatigue break$4 exhaust$4 wear break$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 11:26
S5	10	S4 and ((project$4 protru$6 bulge) near4 (part specimen sample piece member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:29

S6	1285	((heat$4 cool$4 thermal$4 ((increas$$ lower$4 high$4 decreas$4 large elevate) near2 temperature)) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member) near4 (fatigue break$4 exhaust$4 wear break$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:52
S7	69	S6 and ((project$4 protru$8 bulge wiper extension) near4 (part specimen sample piece member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:52
S8	69	S6 and ((project$4 protru$8 bulge wiper rib extension) near4 (part specimen sample piece member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:54
S9	1599	((heat$4 cool$4 thermal$4 ((increas$$ lower$4 high$4 decreas$4 large elevate) near2 temperature)) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:56
S10	101	S6 and ((project$4 protru$8 blade bulge wiper rib extension) near4 (part specimen sample piece member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:55
S11	138	S9 and ((project$4 protru$8 blade bulge wiper rib extension) near4 (part specimen sample piece member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:11
S12	432	(((heat$4 cool$4 thermal$4) or (increas$$ lower$4 high$4 decreas$4 large elevate)) near2 temperature) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:59
S13	552	(((heat$4 cool$4 thermal$4) or (increas$$ lower$4 high$4 decreas$4 large elevate)) near4 temperature) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:01
S14	512	(((heat$4 hot) or (increas$$ lower$4 high$4 decreas$4 large elevat$4)) near4 temperature) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:02
S15	514	(((heat$4 warm$4 hot) or (increas$$ lower$4 high$4 decreas$4 large elevat$4)) near4 temperature) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:04
S16	514	(((heat$4 warm$4 hot) or (increas$4 lower$4 high$4 decreas$4 large elevat$4)) near4 temperature) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:25
S17	469	S16 and (((cool$4 cold$4 chill$4) or (increas$4 lower$4 high$4 decreas$4 large elevat$4)) near4 temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:06
S18	215	S17 and cycl$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:07

S19	76	S17 and ((cool$4 cold$4 chill$4 heat$4 warm$4 hot thermal$5) near4 cycl$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:15
S20	526	(((heat$4 warm$4 hot) or (increas$4 lower$4 high$4 decreas$4 large rise rising elevat$4)) near4 temperature) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:10
S21	59	S20 and ((project$4 protru$8 blade bulge wiper rib extension rise$2) near4 (part specimen sample piece member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:20
S22	6	S21 and ((cool$4 cold$4 chill$4 heat$4 warm$4 hot thermal$5) near4 cycl$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:14
S23	9	("4112746" | "4478086" | "5079955" | "5719339" | "5758970" | "5877432" | "5883311" | "5952581" | "6023980").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 14:17
S24	1557.10	(base plate support substrate) near8 ((project$4 protru$8 blade bulge wiper rib extension rise$2) near4 (part specimen sample piece member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:23
S25	117844	(base plate support substrate) near4 ((project$4 protru$8 blade bulge wiper rib extension rise$2) near4 (part specimen sample piece member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:28
S26	8	S25 same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:29
S27	133649	(base plate support substrate) near4 ((project$4 protru$8 blade bulge wiper rib extension rise$2) near4 (part specimen sample piece member element))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:30
S28	9	S27 same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member element) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:16
S29	135328	(base plate support substrate) near4 ((project$4 protru$8 blade bulge wiper bump rib extension rise$2) near4 (part specimen sample piece member element))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:46
S30	163	S29 and ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member element) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:35
S31	92	(base plate support substrate) near4 ((hump) near4 (part specimen sample piece member element))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:56
S32	1	S31 and ((cool$4 cold$4 chill$4 heat$4 warm$4 hot thermal$5) near4 (cycl$5 repetitive$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:15

S33	96	((cool$4 cold$4 chill$4 heat$4 warm$4 hot thermal$5) near4 (cycl$5 repetitive$4)) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member element) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:57
S34	53	S33 and ((test$4 monitor$4 calculat$4 obtain$4 determin$4 observ$5 meter asses$4 measur$4 evaluat$4) near4 fatigue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:24
S35	23	S33 and ((monitor$4 calculat$4 obtain$4 determin$4 observ$5 asses$4 measur$4 evaluat$4) near4 fatigue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:01
S36	5	((cool$4 cold$4 chill$4 heat$4 warm$4 hot thermal$5) near4 (cycl$5 repetitive$4)) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member element) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3)) and aluminide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:41
S37	3	((cool$4 cold$4 chill$4 heat$4 warm$4 hot thermal$5) near4 (cycl$5 repetitive$4)) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member element) near4 (fatigue break$4 exhaust$4 tension$4 wear break$3)) and ((slit notch$4) near4 (part specimen workpiece sample piece member element))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:41
S38	115	((cool$4 cold$4 chill$4 heat$4 warm$4 hot thermal$5) near4 (cycl$5 repetitive$4)) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member element) near4 (compress$4 pressur$5 load$4 force))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:20
S39	9	S38 and ((monitor$4 calculat$4 obtain$4 determin$4 observ$5 asses$4 measur$4 evaluat$4) near4 fatigue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:04
S40	76	((cool$4 cold$4 chill$4 heat$4 warm$4 hot thermal$5) near4 (cycl$5 repetitive$4)) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member element) near4 (compress$4 pressur$5 load$4 force)) not tensile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:04
S41	67	((cool$4 cold$4 chill$4 heat$4 warm$4 hot thermal$5) near4 (cycl$5 repetitive$4)) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member element) near4 (compress$4 pressur$5 load$4 force)) not tensi$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:06
S42	23	((cool$4 cold$4 chill$4 heat$4 warm$4 hot thermal$5) near4 (cycl$5 repetitive$4)) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member element) near4 compress$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:06
S43	18	((cool$4 cold$4 chill$4 heat$4 warm$4 hot thermal$5) near4 (cycl$5 repetitive$4)) same ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen workpiece sample piece member element) near4 (insulat$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:20
S44	0	(base plate support substrate) near4 ((project$4 protru$8 blade bulge wiper bump rib extension rise$2) near4 (part specimen sample piece member element) near4 insualt$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:57
S45	23	((base plate support substrate) near4 (part specimen sample piece member element) near4 insualt$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 17:04

S46	5254	((base plate support substrate) near4 (part specimen sample piece member element) near4 (coat$4 cover$4 surround$4 bottom) near3 insulat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/17 16:00
S47	55	S46 and ((heat$4 cool$4 thermal$4 ((increas$$ lower$4 high$4 decreas$4 large elevate) near2 temperature)) near8 ((test$4 monitor$4 observ$5 meter asses$4 measur$4) near4 (part specimen sample piece member)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 17:06